

RBWG1019-SA11 JACKING ASSEMBLY 11

NOTES:

D

В

Α

1) MATERIAL: N/A 2) HEAT TREAT: N/A

3) FINISH: N/A

4) TOLERANCES: X.X = +/- 0.1" / +/- 1°

X.XX = +/-0.01" / +/-0.5°

X.XXX = +/-0.005" / +/-0.1°

X.XXXX = +/-0.0005" / +/-0.05°

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"

5) UNITS: INCHES UNLESS OTHERWISE NOTED


6) IDENTIFICATION: N/A

7) ASSEMBLE AS SHOWN

8) BEND PRONGS OF ITEM 5 TO SECURE ITEM -2

9) ITEM -2 MUST SLIDE FREELY

10) ASSEMBLED LANYARD LENGTH MUST BE 3" +/- 1"
11) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG



3

DESCRIPTION

RBWG1019-SA11

2

JACKING ASSEMBLY

TOOL PART #

NEW ISSUE

KPT

KPT

MBB

REV.

DESIGN

DRAWN

CHECKED

MFG. APPR.

APPROVED

3

DATE 4/4/2019

19-679

ECN#

SCALE

NTS

DART AEROSPACE LTD

HAWKESBURY, ONTARIO, CANADA

COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

KPT

BY

REV. A

 \bigcirc

SHEET 1 OF 3

0.06 0.00 REF 9

